


ULTRABRIGHT



EYE
CATCHING


Are we?

DAEZON

ULTRABRIGHT MULTI-POSITION LCD SIGNAGE


Product Description

- The **MOST EYE CATCHING** digital signage
- **ULTRA HIGH BRIGHTNESS** at **3000** nits
- Ultra slim & sleek bezel engineered for superior ventilation
- Available in various panel sizes (43" – 75")
- Integrated with Windows 10 / Android 7.1
- Support Cloud CMS & multiple screens function
- Flexible positioning with ceiling mount, wall mount, floor standing options
- Variable location display such as shop front, window front, pavement, counters and walls.
- The best digital signage for effective advertisement




ULTRABRIGHT MULTI-POSITION LCD SIGNAGE

CEILING MOUNT ▪ WALL MOUNT ▪ FLOOR STANDING



ULTRABRIGHT MULTI-POSITION LCD SIGNAGE


Outstanding Features



Energy Efficient

Integrated electronic thermometer to monitor the system temperature

Automatically adjustment on power consumptions



Intelligent Thermal System

Built-in high-speed fan allowing excellent ventilation and cooling function

Aluminum bezel built with fins and air ducts system for heat release



Sleek Display

Super slimline bezel design and sleek signage display

Profile dimension 2.85mm x 4.70mm




ULTRABRIGHT MULTI-POSITION LCD SIGNAGE

Technical Specifications

PANEL INFORMATION					
Panel Size	43"	49"	55"	65"	75"
Panel Type	α-Si, TFT-LCD				
Brightness	3000Nits				
Aspect Ratio	16 : 9				
Active area (mm)	942*530	1074*604	1210*681	1429*804	1651*929
Resolution	1920*1080	1920*1080	1920*1080	3840*2160	3840*2160
Contrast Ratio	1400 : 1	1000 : 1	4000 : 1	1200 : 1	2800 : 1
Chassis Size (mm)	954*545	1078*608	1214*685	1444*820	1664*943
Viewing Angle	178/178				
Frequency	60Hz				
Life Time	≥50,000 hours (LED Backlight)				
OPERATING SYSTEM					
System	Windows 10 / Android				
CPU	I3 3.4Ghz / RK3288				
RAM	4G / 2G				
ROM	250G SDD / 128G HDD				
Network	WIFI/RJ45				
I/O Ports	USB2.0*2/ USB3.0*2/ HDMI out*1/ VGA out*1/ RJ45 Lan port*1/ Speaker out*1/ Mic in*1				
43inch~55inch	2K AD BOARD - HDMI in*1/ DVI in*1 / RS232 in*1 / RS232 out *2				
65inch~75inch	4K AD BOARD - HDMI in *1/ DVI in*1/ VGA in *1/ RJ45*1;USB in *1; RJ45 out *2				
FEATURES					
Operation	24/7 Non-stop Operation				
Casing Design	Slimline Bezel with built in temperature monitor system and cooling vents .				
ENVIRONMENTAL					
Operating System	0°C ~ 50°C				
Storage System	-20°C ~ 60°C				
POWER					
Power Supply	96V ~ 220V				
Frequency	50 / 60Hz				

ULTRABRIGHT MULTI-POSITION LCD SIGNAGE



Available in various panel types, sizes, and mounting options.
Please get in touch for more information.

E: info@daezon.com
www.daezon.com

UK : +44 (0) 7902 593 049
MALAYSIA : +6 016 481 6116